



DRAWING NUMBER GP1647/A3/4

PROJECTION 



MOUNTING HOLES
4 HOLES $\phi 9$
POSITIONS AS SHOWN

OIL/FILLER BREATHER

MOTOR

MICROMETER STROKE ADJUSTER

DELIVERY PORT 1/4" BSP

SUCTION PORT 1/4" BSP

STROKE ADJUSTMENT 13:1 TURNDOWN

OIL DRAIN

OIL LEVEL

PUMP	FLOWRATE L/H	PRESSURE BAR	PUMP	FLOWRATE L/H	PRESSURE BAR	DIM'N 'C'	
						POWER 0.18 kW	POWER 0.25 kW
03-10	3	10	03-30	3	30	165	110
05-10	5	10	05-30	5	30	165	110
10-10	10	10	10-30	10	30	165	110
25-10	25	10	25-30	25	30	165	110
50-10	50	10	50-20	50	20	185	130

DATA SHOWN IS FOR STANDARD ASSEMBLY ONLY.
CONTACT GROSVENOR PUMPS FOR FULL DETAILS

MATERIAL	TEMPERATURE	VISCOSITY	WEIGHT
MATERIAL PUMPHHEAD	1°C MIN.	≤ 85 cSt 100% VOL. EFF.	20 KG
VALVE BALLS	60° MAX. - uPVC	≤ 140 cSt 90% VOL. EFF.	
	60° MAX. - PP	≤ 200 cSt 80% VOL. EFF.	
DIAPHRAGM	150° MAX. - 316L		

THIS DRAWING IS CONFIDENTIAL AND IS THE PROPERTY OF GROSVENOR PUMPS LTD. AND MUST NOT BE REPRODUCED EITHER WHOLLY OR PARTLY WITHOUT PERMISSION. COPYRIGHTS ARE RESERVED.

REMOVE ALL BURRS AND SHARP EDGES.

DO NOT SCALE IF IN DOUBT ASK.

ISSUE	DATE	ALTERATION	SIGN	TABLE DETAILS	MODIFIED
1	12 SEP 96	ORIGINAL ISSUE	CHU	4	13 FEB 98


TITLE PYXEL DIAPHRAGM METERING PUMP

SHEET 1 of 1

INSTALLATION DETAILS

PART NUMBER GP1647/A3/4

DRAWING NUMBER GP1647/A3/4



GROSVENOR
PUMPS LTD
8 SHAFTESBURY INDUSTRIAL CENTRE, THE RUNNINGS,
CHELTENHAM, GLOS GL51 9NH, ENGLAND.